SILVERLINK 600



GR7/P - Lincat Silverlink 600 Propane Gas Countertop Salamander Grill - W 750 mm - 6.8 kW The Silverlink 600 Gas Salamander Grill boasts even heat distribution for maximum output, meaning that producing perfectly grilled meat, fish, and toast has never been as simple or stress-free.

- Powerful ceramic plaque burners for rapid heat up
- 4 shelf positions to give maximum flexibility for all catering operations
- Supplied with a double sided alloy branding plate and fat collection tray
- Cool touch handles for safety
- Enamelled interior and hood for easy cleaning
- Flame failure device for maximum safety

Specifications

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	23,202
Range	Silverlink 600	Total Power kW	6.8
Power Type	Gas	Cooking Area (Width x Depth) mm	580 x 275
Gas Type	Propane Gas	Temperature Control	Mechanical
Unit Type	Counter-top		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105104766		
Key Specifications		Capacity	
Number of Shelves included	1	Product Output nor Hour	56 x 115g [4oz] burgers [frozen], 42 x 225g

Weights and Dimensions		Supply Connections	
Number of Shelves included Number of Shelf Positions Number of Heat Zones	1 4 1	Product Output per Hour	56 x 115g [4oz] burgers [frozen], 42 x 225g [8oz]
, -			

Weights and Dimensions		Supply Connections
Unit Height (External) mm	405	Requires Installation Yes
Unit Width (External) mm	750	Gas Connection BSP 1/2"
Unit Depth (External) mm	423	Gas Consumption at full rate 0.44
Shelf Dimensions Width mm	580	Propane m³ per Hour Gas Pressure Propane mbar 37
Shelf Dimensions Depth mm	275	- control of the cont
Net Weight Kg	34.7	Rotal heat input at full rate Propane 6.8
		Total heat input at full rate Propane 22,200 BTU per hour

Shipping

Packed Weight Kg	38.17
Packed Height cm	49.5
Packed Width cm	85.5
Packed Depth cm	70

Available Accessories


BR39	BRANDER GR7
CH01	Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU
CH02	Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU





Available Accessories

GR7/BS BENCH STAND FOR GR7
GR7/FS FLOOR STAND FOR GR7
GR7/WS WALL SHELF FOR GR7

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Print Date: 26/08/2022 Product Code: GR7/P Page Number: 3