



# Product Code: XR415G 33-115

## xtra by Foster Slimline Upright Refrigerated Cabinet with Glass Door (with light)

---



### Features & Benefits

---

- The xtra range: Built for you, designed for your budget
- Reliable and robust refrigeration at an affordable price
- Robust stainless steel finish
- Easy read microprocessor controller provides simple and accurate temperature control
- Full Foster 2 years parts and labour warranty

## Shelving

**Nylon Coated Shelf** Option

## Electrical & Service Data

**Connect Load** 240

**230/50/1** Standard

**Fuse Required (A)** 10

## Energy

**TDA (m2)** 0.68

**Max-Min temp (of stored product)** +7°C / -1°C

**Climate class** 3

**kWh (24 hours)** 1.7

**AEC** 630

**Energy Grade** B

## Doors

**Glass** Standard

## Specification

**Refrigerator +3/+5°C** Standard

**Width (mm)** 600

**Depth (mm)** 660

**Height (mm)** 1875

**Gross Volume (Ltr)** 410

## Refrigeration

**R290 - Energy Efficient** Standard

## Finish

**s/s ext & alu int** Standard

# Energy Performance Data and information




Foster Refrigerator

XR415G (33-115)



**630** kWh/annum

  
**0.68** m<sup>2</sup>

 7°C  
-1°C

2021/745

## Application

This appliance is intended for use in ambient temperatures up to 40°C

## Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

## Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



The Refrigeration Experts

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU  
+44 (0)1553 691122 | [sales@foster-gamko.com](mailto:sales@foster-gamko.com) | [www.fosterrefrigerator.com](http://www.fosterrefrigerator.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.